

A Unique Model Platform for C4 Plant Systems and Synthetic Biology

Lars Nielsen
THE UNIVERSITY OF QUEENSLAND

12/10/2015 Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory

AF Office Of Scientific Research (AFOSR)/ IOA

Arlington, Virginia 22203

Air Force Materiel Command

maintaining the data needed, a including suggestions for redu	nd completing and reviewing th cing this burden, to Washington should be aware that notwithsta	e collection of information. Send Headquarters Services, Director	d comments regarding this brate for Information Operati	ourden estimate or an ions and Reports, 121	ons, searching existing data sources, gathering and y other aspect of this collection of information, 15 Jefferson Davis Highway, Suite 1204, Arlingtoning to comply with a collection of information if it			
1. REPORT DATE		2. REPORT TYPE		3. DATES COV	/ERED			
02 FEB 2016		Final		03-06-202	14 to 02-06-2015			
4. TITLE AND SUBTITLE					5a. CONTRACT NUMBER			
A Unique Model Platform for C4 Plant Systems and Synthetic				FA2386-14-1-4028				
Biology				5b. GRANT NU	JMBER			
				5c. PROGRAM ELEMENT NUMBER 61102F				
6. AUTHOR(S)				5d. PROJECT NUMBER				
Lars Nielsen				5e. TASK NUMBER				
				5f. WORK UNIT NUMBER				
Australian Instit	g 75 - Cnr of Colle	ND ADDRESS(ES) ering and Nanote ege and Cooper R	••	8. PERFORMII N/A	NG ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AOARD, UNIT 45002, APO, AP, 96338-5002			10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR/IOA(AOARD)					
			11. SPONSOR/MONITOR'S REPORT NUMBER(S) AOARD-144028					
	AILABILITY STATEME	NT ibution unlimited						
13. SUPPLEMENTARY	NOTES							
A genome scale is accounted for 12 transcriptome pr	netabolic reconst 30 genes and 1585 roteome and centr	ruction was produ 8 reactions. The r	iced using our econstruction v i mature and in	C4GEM fra vas used to nmature tis	eering of key C4 crop species. Amework. The reconstruction guide the comparison of sue. Preliminary data were			
15. SUBJECT TERMS								
16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF ABSTRACT			18. NUMBER	19a. NAME OF RESPONSIBLE PERSON				
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 6				

Report Documentation Page

Form Approved OMB No. 0704-0188

REPORT DOCUMENTATION PAGE

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

PLEASE DO NOT RETURN TOUR FORM	I TO THE ABOVE ADDRESS.
4 DEPORT DATE (DD 1441)0000	A DEDODE TYPE

1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE		3. DATES COVERED (From - To)		
02-02-2016	Final		03 Jun 2014 – 02 Jun 2015		
4. TITLE AND SUBTITLE A Unique Model Platform Biology	for C4 Plant Systems and Synthetic		PAZ386-14-1-4028 RANT NUMBER		
			Grant AOARD-14IOA042 144028		
		5c. PR	OGRAM ELEMENT NUMBER 61102F		
6. AUTHOR(S)		5d. PR	ROJECT NUMBER		
Dr Lars Nielsen		5e. TA	SK NUMBER		
		5f. WC	ORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAM Australian Institute for Bio Building 75 - Cnr of Colleg Brisbane QLD 4072 Australia	engineering and Nanotechnology (AIBN	1)	8. PERFORMING ORGANIZATION REPORT NUMBER N/A		
9. SPONSORING/MONITORING AGENC	Y NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)		
AOARD UNIT 45002			AFRL/AFOSR/IOA(AOARD) 11. SPONSOR/MONITOR'S REPORT		
APO AP 96338-5002			NUMBER(S) AOARD-144028		

12. DISTRIBUTION/AVAILABILITY STATEMENT

Distribution A: Approved for public release. Distribution is unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

We are developing Setaria viridis as a C4 model to accelerate metabolic engineering of key C4 crop species. A genome scale metabolic reconstruction was produced using our C4GEM framework. The reconstruction accounted for 1230 genes and 1588 reactions. The reconstruction was used to guide the comparison of transcriptome, proteome and central metabolome in mature and immature tissue. Preliminary data were obtained suggesting successful agrobacterium mediated transformation

15. SUBJECT TERMS

synthetic biology, Systems Biology

16. SECURITY CLASSIFICATION OF:		17. LIMITATION OF	18. NUMBER	19a. NAME OF RESPONSIBLE PERSON		
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABSTRACT	OF PAGES	Kristopher, Ahlers, Lt Col, USAF, Ph.D.	
U	U	U	SAR	6	19b. TELEPHONE NUMBER (Include area code) +81-3-5410-4409	

Standard Form 298 (Rev. 8/98) Prescribed by ANSI Std. Z39.18

Final Report for AOARD Grant 144028 A Unique Model Platform for C4 Plant Systems and Synthetic Biology

30/08/2015

PI and Co-PI information: Lars Keld Nielsen; lars.nielsen@uq.edu.au; The University of Queensland; Australian Institute for Bioengineering and Nanotechnology; Brisbane, QLD 4072; Phone: +61 7 33463986; Fax: +61 7 33463973.

Period of Performance: 3 June 2014 – 2 June 2015

Abstract: We are developing *Setaria viridis* as a C4 model to accelerate metabolic engineering of key C4 crop species. A genome scale metabolic reconstruction was produced using our C4GEM framework. The reconstruction accounted for 1230 genes and 1588 reactions. The reconstruction was used to guide the comparison of transcriptome, proteome and central metabolome in mature and immature tissue. Preliminary data were obtained suggesting successful agrobacterium mediated transformation.

Introduction: C4 plants such as sugarcane, maize and sorghum are more efficient at carbon fixation than C3 plants. We have previously demonstrated that C4 plants can be engineered for sustainable chemicals production. However, C4 crop plants have large polyploidy genomes, poor transformation efficiency and long cycle times, leading to very long development times. In this project, we sought to develop a unique, versatile and powerful systems and synthetic biology platform for metabolic engineering of C4 plants. The specific aims were to develop

- 1. a genome scale metabolic reconstruction for Setaria;
- 2. a spatio-temporal molecular inventory during growth; and
- 3. a simple dipping protocol for Setaria transformation

Experiment:

Aim 1. A genome scale metabolic reconstruction was developed from the Setaria genome using our previously published C4GEM reconstruction framework.

Aim 2. Plants were grown from seeds in a growth chamber and a growth curve constructed. Immediately prior to the plants entering flowering state, biomass was harvested and split into mature and immature tissue for subsequent analysis. mRNAs were extracted from triplicate samples and submitted to the Ramciotti Centre at UNSW for RNA-seq analysis. Proteins were extracted from triplicate samples and analysed internally using a SWATH protocol on an AB Sciex 5600. The level of central carbon metabolites (53) was determined for pentaplicate samples using an in-house protocol of ion-pairing chromatography followed by SRM analysis on an AB Sciex 4500.

Aim 3. Agrobacterium-mediated transformation of Setaria viridis. Agrobacterium tumefaciens strain GV3101 was transformed by electroporation with pBI 121. Agrobacterium containing pBI 121 suspended in 50 mM potassium phosphate, pH 7.5 supplemented with 0.2-1 mM acetosyringone (MW 196.2, stock solution 0.1M in DMSO) was injected into the space immediately above developing inflorescence and the resulting seeds were characterized for GUS expression.


Results and Discussion:

Aim 1. A genome scale metabolic reconstruction for Setaria

	C4 plant models						
Elements	Sorghum bicolor	Zea mays	Saccharum officinarum	Setaria viridis			
ORF-reaction-association entries	13114	38892	13593	8168			
ORFs (unique genes)	3557	11623	3881	1230			
Metabolites		1755		1755			
Unique reactions		1588		1588			
Extra cellular transporters		18		19			
Transporters (plasmodesmata)		7		7			
Transporters (Inter-organelle)		83		83			
Biomass drains		47	_	48			
GAP filling from AraGEM	131	135	156	186			

A genome scale metabolic reconstruction was produced from the *Setaria viridis* genome. A total of 1230 genes were mapped to 1588 unique reactions. 186 reactions essential for growth had to be gap filled from Arabidopsis suggesting that the gene model for *Setaria* remains incomplete.

Aim 2. Spatio-temporal molecular inventory during growth






Figure 2. *Left panel:* Phase I (Day 0-6): Increase in FW but no increase in DW - seed imbibing water, seed resources used to generate initial seedling. Phase II (Day 6-34): Photosynthesis begins, dry weigh increases exponentially. Phase III (Day 34-48): Plant transitioning to flowering state. Phase IV (Day 48-55): Photosynthate devoted to developing flowers. *Right panel*: Exponential growth phase with a growth rate of 0.127 h⁻¹.

Biomass was harvested a 30 hours, split in mature and immature internodes, and subjected to comprehensive omics analysis. Of 35,425 genes expressed, 15,788 were observed to be differentially expressed between mature and immature internodes. The large set of expressed genes was used to expand the annotated gene list in the genome. Similarly, 190 out of 570 proteins determined by SWATH were differentially expressed, 20 out of 53 central carbon metabolites were differentially expressed. The data showed the expected down regulation in lipid biosynthesis in mature tissue, but changes to other functions was more subtle. Using the genome scale reconstruction for analysis, evidence was found for a change in the C4 mechanism from NAD-ME linked in immature to NADH-ME linked in mature tissue. This observation is in line with increasing evidence of a fluid transition between the different C4 types.

Aim 3. Agrobacterium-mediated transformation of Setaria viridis




Figure 3. Left panel: Setaria meristems where sectioned longitudinally at daily intervals after

day 14 to determine onset of floral embryogenesis. Floral development commenced at about day 18 under our growth cabinet conditions (12 hour light – 28C, 12 hour dark – 24C). *Right panel:* Agrobacterium injected just above developing flower meristem on day 18. The inoculated shoot was tagged because new shoots emerge over time and it can be difficult to identify the original inoculated shoot.

An agrobacterium-mediated transformation protocol was developed for *Setaria viridis*. Onset of floral embryogenesis was determined to be around Day 18 and agrobacterium was injected just above the developing floral meristem (Figure 3). Preliminary data for Setaria transformation were very promising (Figure 4). However, we still need to test if introduced traits are stable across generations. Setaria transformation work will continue at UNT using fluorescent proteins or a seed colour gene to identify transformants.




Figure 4. Seeds germinated and stained with GUS. *Left panel:* GUS staining was observed in the seed coat. *Right panel:* GUS staining was also present in the elongation zone of shoots in some seedlings.

List of Publications and Significant Collaborations that resulted from your AOARD supported project: In standard format showing authors, title, journal, issue, pages, and date, for each category list the following:

- a) Papers published in peer-reviewed journals: N/A
- b) Papers published in non-peer-reviewed journals or in conference proceedings: N/A
- c) Conference presentations
 - Nielsen LK (2014) Systems Biology [Plenary talk] International Conference in Bioinformatics, Sydney, Australia, July 31 August 2, 2014.
 - Nielsen LK (2015) Genome scale metabolic and regulatory network modelling in higher eukaryotes [invited talk]. Peking University, 16 March 2015.
- d) Manuscripts submitted but not yet published: N/A (manuscript in preparation)
- e) Provide a list any interactions with industry or with Air Force Research Laboratory scientists or significant collaborations that resulted from this work.
 - Nielsen LK (2015) Multi-tissue genome scale modelling: toward understanding plant metabolism at an organismal level [invited talk]. Bayer, Ghent, 28 May 2015.
 - Dr Richard McQualter has moved to University of Northern Texas and will continue working with Setaria under the guidance of Dr Stevens Brumbley.

DD882: As a separate document, please complete and sign the inventions disclosure form.